

DDH 911	SAMPLE	FROM (metres)	TO (metres)	LENGTH (metres)	Au g/tonne	Ag g/tonne	Cooper %	Lead %	Zinc %
	44135	10.25	11.89	1.64	0.34	25.37	0.11	0.33	3.26
	44136	11.89	13.30	1.41	0.41	6.17	0.07	0.01	0.12
	44137	16.85	17.98	1.13	0.14	2.40	0.01	0.03	0.03
	44138	17.98	19.50	1.52	0.21	3.43	0.04	0.03	0.37
	44139	19.50	19.90	0.40	13.54	130.97	0.09	0.69	1.30
	44140	19.90	21.03	1.13	3.33	39.43	0.43	0.06	0.09
	44141	21.53	21.98	0.45	0.99	8.57	0.20	n.d.	0.21
	44142	21.98	23.15	1.17	0.27	1.03	0.02	n.d.	0.02
	44143	23.15	24.68	1.53	0.14	1.37	0.01	n.d.	0.07
	44144	30.13	31.75	1.62	0.14	1.37	0.02	0.01	0.03
	44145	32.62	33.30	0.68	0.14	2.40	n.d.	0.04	0.20
	44146	33.30	34.54	1.24	0.14	3.09	n.d.	0.06	0.11
	44147	36.27	37.53	1.26	n.d.	n.d.	n.d.	n.d.	0.01
	44148	37.53	37.79	0.26	0.07	0.69	n.d.	0.01	0.03
	44149	40.57	41.67	1.10	0.14	1.71	0.02	0.02	0.03
	44150	42.37	43.47	1.10	0.21	1.71	0.04	0.01	0.50
	44301	44.22	46.05	1.83	0.34	5.83	0.05	0.04	0.46
	44302	46.05	47.27	1.22	0.21	13.37	0.05	0.13	1.22
	44303	47.27	47.42	0.15	3.43	65.49	0.40	0.22	6.10
	44304	47.42	48.46	1.04	0.41	13.03	0.09	0.06	0.79
	44305	48.46	50.00	1.54	0.48	16.46	0.08	0.12	1.58
	44306	50.00	51.31	1.31	0.69	32.91	0.56	0.07	1.74
	44307	51.31	51.51	0.20	0.07	5.49	0.07	0.02	0.17
700m	44308	51.51	52.78	1.27	0.07	2.40	0.03	n.d.	0.16
	44309	52.78	53.88	1.10	1.99	84.34	0.76	0.18	2.02
	44310	53.88	54.56	0.68	0.14	8.57	0.05	0.03	0.18
	44311	54.56	56.00	1.44	0.27	15.09	0.10	0.06	1.26
	44312	56.00	57.61	1.61	1.30	52.80	0.18	0.30	7.94
	44313	57.61	59.00	1.39	0.34	17.14	0.14	0.07	2.50
	44314	59.00	60.06	1.06	0.34	10.29	0.08	0.06	1.24
	44315	60.06	61.08	1.02	0.75	14.40	0.10	0.02	0.08
	44316	61.08	63.70	2.62	0.07	3.09	0.04	0.05	0.10
	44317	63.70	67.25	3.55	0.21	4.11	0.04	0.02	0.03
	44318	67.25	68.20	0.95	0.21	6.51	0.05	0.02	0.05
	44319	68.20	69.57	1.37	0.21	5.83	0.07	0.01	0.05
	44320	69.57	70.80	1.23	9.05	142.97	0.17	0.09	0.26
	443211	70.80	71.08	0.28	6.17	113.83	0.23	0.10	0.30
	443212	71.08	71.75	0.67	0.41	16.11	0.22	0.01	0.08
	44322	71.75	71.96	0.21	4.08	94.63	1.35	0.13	0.98
	44323	71.96	73.80	1.84	0.21	3.77	0.05	0.02	0.09
	44324	73.80	74.55	0.75	0.07	2.06	0.04	n.d.	0.05
	44325	74.55	75.90	1.35	0.07	0.69	0.02	n.d.	0.02
	44326	75.90	78.94	3.04	0.07	2.40	0.03	0.02	0.30
	44327	81.19	82.87	1.68	0.07	0.69	0.02	0.01	0.13
	44328	82.87	85.04	2.17	n.d.	1.03	0.02	n.d.	0.08
	44329	85.04	86.54	1.50	0.21	2.06	0.04	n.d.	0.24
	44330	86.54	88.09	1.55	0.41	8.57	0.14	0.01	0.15
	44331	88.09	89.59	1.50	0.34	19.89	0.25	0.03	0.06
	44332	89.59	91.14	1.55	0.21	9.26	0.08	0.03	0.93
	44333	91.14	92.61	1.47	0.41	9.94	0.11	0.06	0.69
	44334	92.61	93.05	0.44	0.07	2.06	0.03	0.02	0.28
650m	44335	93.05	93.98	0.93	0.27	8.23	0.02	0.06	0.35
	44336	93.98	95.70	1.72	0.07	3.09	0.04	0.05	0.14
	44337	95.70	97.23	1.53	0.07	3.09	0.02	0.03	0.13
	44338	97.23	98.73	1.50	0.07	3.09	n.d.	0.04	0.19
	44339	98.73	100.28	1.55	0.21	2.40	n.d.	0.03	0.12
	44340	100.28	101.75	1.47	0.07	2.74	0.02	0.02	0.07
	44341	101.75	103.33	1.58	0.21	5.14	n.d.	0.06	0.27
	44342	103.33	104.80	1.47	0.62	8.57	0.03	0.07	0.48
	44343	104.80	106.38	1.58	0.41	8.23	0.02	0.09	0.78

DDH 911	SAMPLE	FROM (metres)	TO (metres)	LENGTH (metres)	Au g/tonne	Ag g/tonne	Cooper %	Lead %	Zinc %
	44344	106.38	108.30	1.92	0.21	3.09	n.d.	0.05	0.17
	44345	108.30	109.81	1.51	1.71	11.66	0.01	0.17	1.17
	44346	109.81	111.05	1.24	0.21	1.37	n.d.	0.01	0.04
	44347	111.05	112.75	1.70	0.82	1.03	0.01	n.d.	0.04
	44348	112.75	114.20	1.45	4.05	2.06	n.d.	0.01	0.03
	44349	114.20	115.65	1.45	1.58	3.77	0.02	0.01	0.02
	44350	115.65	117.10	1.45	4.90	2.06	0.01	n.d.	0.03
	44401	117.10	118.57	1.47	0.69	3.77	n.d.	0.03	0.02
	44402	118.57	120.00	1.43	0.89	3.43	n.d.	0.06	0.13
	44403	120.00	121.51	1.51	0.07	2.40	n.d.	0.03	0.04
	44404	121.51	123.05	1.54	0.14	2.74	0.02	0.04	0.08
	44405	123.05	124.50	1.45	0.07	3.09	n.d.	0.07	0.16
	44406	124.50	126.15	1.65	0.14	3.09	0.01	0.06	0.21
	44407	126.15	127.95	1.80	0.21	5.83	0.02	0.05	0.33
	44408	127.95	128.61	0.66	0.34	12.34	0.06	0.06	0.40
	44409	128.61	129.95	1.34	0.27	11.66	0.04	0.04	0.11
	44410	129.95	131.62	1.67	0.21	7.89	0.03	0.05	0.18
	44411	131.62	133.00	1.38	0.34	7.20	0.04	0.06	1.02
	44412	133.00	134.61	1.61	0.14	4.11	0.01	0.02	0.16
	44413	134.61	136.00	1.39	0.07	1.71	n.d.	0.01	0.03
600m	44414	136.00	137.35	1.35	0.07	2.06	0.01	0.01	0.02
	44415	137.35	138.30	0.95	0.07	2.40	0.01	0.02	0.05
	44416	138.30	138.85	0.55	0.21	3.43	0.01	0.05	0.28
	44417	138.85	140.40	1.55	0.07	1.71	0.02	0.02	0.12
	44418	140.40	141.87	1.47	0.21	2.06	0.04	n.d.	0.02
	44419	141.87	143.27	1.40	0.07	1.71	n.d.	0.04	0.20
	44420	143.27	145.05	1.78	0.07	2.74	n.d.	0.07	0.26
	44421	145.05	146.25	1.20	0.14	5.83	0.01	0.08	0.16
	44422	146.25	147.75	1.50	0.21	15.77	0.04	0.15	0.45
	44423	147.75	148.80	1.05	0.48	12.00	0.04	0.07	0.13
	44424	148.80	149.55	0.75	6.51	302.40	0.72	0.75	2.39
	44425	149.55	150.20	0.65	14.37	122.06	0.82	0.49	0.13
	44426	150.20	150.95	0.75	3.63	21.26	0.02	0.04	0.07
	44427	150.95	152.35	1.40	1.03	6.86	0.04	0.01	0.06
	44428	152.35	153.50	1.15	0.14	2.40	0.01	0.02	0.05
	44429	153.50	153.65	0.15	3.70	9.26	n.d.	0.06	0.24
	44430	153.65	155.14	1.49	0.14	1.37	0.01	n.d.	0.03
	44431	155.14	156.65	1.51	0.07	1.37	n.d.	n.d.	0.08
	44432	156.65	158.19	1.54	n.d.	n.d.	n.d.	n.d.	0.01
	44433	158.19	159.70	1.51	n.d.	n.d.	n.d.	n.d.	0.03
	44434	159.70	161.24	1.54	n.d.	n.d.	n.d.	n.d.	0.03
	44435	161.24	162.05	0.81	n.d.	n.d.	n.d.	n.d.	0.02
	44436	162.05	162.75	0.70	n.d.	n.d.	n.d.	n.d.	0.01
	44437	162.75	164.29	1.54	n.d.	n.d.	n.d.	n.d.	0.01
	44438	164.29	165.75	1.46	n.d.	n.d.	n.d.	n.d.	0.01
	44439	165.75	167.37	1.62	0.07	n.d.	n.d.	n.d.	n.d.
	44440	167.37	168.81	1.44	n.d.	n.d.	n.d.	n.d.	n.d.
	44441	168.81	170.30	1.49	n.d.	n.d.	n.d.	n.d.	n.d.
550m	44442	170.30	171.84	1.54	n.d.	n.d.	n.d.	n.d.	n.d.
	44443	178.20	178.50	0.30	n.d.	0.69	0.02	0.01	0.16
	44444	179.13	179.53	0.40	0.14	1.37	0.02	n.d.	0.05
	44445	179.53	182.00	2.47	0.07	1.37	0.02	n.d.	0.01
	44446	182.58	184.00	1.42	0.21	1.71	0.05	n.d.	0.01
	44447	184.00	184.70	0.70	0.14	1.37	0.04	n.d.	n.d.
	44448	184.70	185.35	0.65	0.69	2.40	0.07	n.d.	0.01
	44449	185.35	186.15	0.80	0.27	1.37	0.02	n.d.	0.01
	44450	186.15	187.33	1.18	3.91	17.83	0.01	0.06	0.10
	44451	187.33	188.67	1.34	2.30	16.11	n.d.	0.03	0.09
	44452	188.67	190.72	2.05	0.75	5.83	0.06	n.d.	0.03
	44453	190.72	191.10	0.38	0.34	4.46	0.02	0.03	0.03

DDH 911	SAMPLE	FROM (metres)	TO (metres)	LENGTH (metres)	Au g/tonne	Ag g/tonne	Cooper %	Lead %	Zinc %
	44454	191.10	192.00	0.90	0.27	3.09	0.07	n.d.	0.01
	44455	192.00	193.25	1.25	0.34	n.d.	0.04	0.31	0.50
	44456	193.25	193.60	0.35	0.14	4.46	0.01	0.11	0.24
	44457	193.60	194.90	1.30	0.07	2.06	0.04	0.03	0.12
	44458	194.90	195.30	0.40	0.07	2.06	0.01	0.03	0.04
	44459	195.30	196.45	1.15	0.07	3.09	n.d.	0.11	0.27
	44460	196.45	197.82	1.37	0.07	1.37	0.01	0.02	0.06
	44461	197.82	199.30	1.48	0.41	3.09	0.07	0.04	0.14
	44462	199.30	199.90	0.60	9.26	5.49	0.01	0.06	0.29
	44463	199.90	200.86	0.96	0.75	34.97	0.03	1.34	1.15
	44464	200.86	202.25	1.39	0.41	6.86	0.01	0.24	0.31
	44465	202.25	203.91	1.66	0.34	3.77	0.04	0.04	0.15
	44466	203.91	206.96	3.05	0.14	1.71	0.01	0.03	0.03
	44467	206.96	208.51	1.55	0.14	1.37	n.d.	0.02	0.03
	44468	208.51	210.01	1.50	0.14	0.69	n.d.	n.d.	0.04
	44469	210.01	213.06	3.05	0.07	0.34	n.d.	n.d.	0.03
	44470	213.06	214.30	1.24	n.d.	1.37	n.d.	0.05	0.13
500m	44471	214.30	215.00	0.70	0.21	24.00	0.04	0.98	3.97
	44472	215.00	216.10	1.10	0.07	0.69	n.d.	0.02	0.04
	44473	216.10	217.30	1.20	0.07	2.40	0.05	0.01	0.03
	44474	217.60	219.15	1.55	0.21	10.97	0.06	0.03	0.08
	44475	219.15	220.65	1.50	0.14	6.86	0.02	0.01	0.05
	44476	220.65	222.00	1.35	0.07	5.14	0.02	0.05	0.25
	44477	222.00	223.20	1.20	0.14	5.83	0.02	0.05	0.15
	44478	223.20	224.50	1.30	0.48	20.91	0.06	0.23	1.02
	44479	224.50	225.00	0.50	0.34	25.37	0.04	0.57	1.99
	44480	225.00	226.00	1.00	0.21	15.77	0.02	0.48	1.04
	44481	226.00	226.30	0.30	0.62	49.37	0.02	1.37	5.22
	44482	226.30	227.90	1.60	0.34	15.43	0.04	0.22	0.44
	44483	227.90	228.35	0.45	0.62	25.03	0.04	0.22	0.96
	44484	228.35	229.83	1.48	1.03	42.51	0.15	0.23	0.71
	44485	229.83	230.60	0.77	0.55	22.97	0.04	0.22	0.52
	44486	230.60	231.80	1.20	0.41	9.94	0.04	0.05	0.15
	44487	231.80	232.90	1.10	0.14	3.09	0.02	0.01	0.14
	44488	232.90	234.34	1.44	0.69	12.34	0.05	0.09	0.33
	44489	234.34	235.10	0.76	0.27	1.03	0.02	n.d.	0.02
	44490	235.10	237.40	2.30	0.75	3.09	0.04	0.01	0.37
	44491	237.40	238.15	0.75	1.30	8.57	0.03	0.03	0.16
	44492	238.15	238.35	0.20	1.85	72.34	0.11	1.24	1.39
	44493	238.35	240.09	1.74	0.62	2.06	0.03	n.d.	0.03
	44494	240.09	242.00	1.91	0.14	1.37	0.03	n.d.	0.03
	44495	242.00	244.08	2.08	0.55	1.71	0.02	n.d.	0.02
	44496	244.08	244.54	0.46	1.03	36.69	n.d.	0.66	0.23
	44497	244.54	245.98	1.44	1.41	2.06	0.04	n.d.	0.02
	44498	245.98	246.90	0.92	0.93	0.69	0.02	n.d.	0.02
450m	44499	246.90	248.40	1.50	1.17	1.03	0.02	n.d.	0.05
	44500	248.40	250.60	2.20	0.69	n.d.	0.02	n.d.	0.01
	44601	250.60	252.62	2.02	0.27	0.34	0.02	n.d.	0.01
	44602	252.62	254.10	1.48	0.27	n.d.	n.d.	n.d.	0.03
	44603	254.10	255.73	1.63	n.d.	n.d.	n.d.	n.d.	0.01
	44604	255.73	257.68	1.95	0.41	0.34	n.d.	n.d.	0.02
	44605	257.68	258.04	0.36	n.d.	n.d.	n.d.	n.d.	0.01
	44606	258.04	258.85	0.81	n.d.	n.d.	n.d.	n.d.	0.01
	44607	258.85	259.03	0.18	0.48	n.d.	n.d.	n.d.	n.d.
	44608	259.03	260.50	1.47	0.07	n.d.	n.d.	n.d.	0.01
	44609	260.50	261.82	1.32	n.d.	n.d.	n.d.	n.d.	0.01
	44610	261.82	263.96	2.14	0.07	n.d.	n.d.	n.d.	0.01
	44611	263.96	264.22	0.26	0.07	n.d.	0.01	n.d.	0.01
	44612	264.22	265.57	1.35	0.07	0.69	n.d.	n.d.	0.02
	44613	265.57	267.12	1.55	n.d.	n.d.	n.d.	n.d.	0.01

DDH 911	SAMPLE	FROM (metres)	TO (metres)	LENGTH (metres)	Au g/tonne	Ag g/tonne	Cooper %	Lead %	Zinc %
	44614	267.12	267.92	0.80	n.d.	n.d.	n.d.	n.d.	0.01